CONTENTS OF ECOLOGICAL MODELLING, VOL. 44

Vol. 44 NOS. 1/2 DECEMBE	R 1988
Numerical models of bowhead and gray whale migration in Alaskan waters	
M. Reed, K. Jayko (Narragansett, RI, U.S.A.), A. Bowles and S. Leatherwood (Sar	1
Diego, CA, U.S.A.)	. 1
Bias in estimates of primary production: an analytical solution	
O.E. Sala (Fort Collins, CO, U.S.A.), M.E. Biondini (Fargo, ND, U.S.A.) and W.K	
Lauenroth (Fort Collins, CO, U.S.A.)	43
Estimating and constructing confidence intervals for spatial patterns between random and regular	
G.L. Somers (Auburn, AL, U.S.A.) and R.G. Oderwald (Blacksburg, VA, U.S.A.) .	57
Modeling the transport and the fate of pesticides in the unsaturated zone considering temperature effects	,
F. Padilla, P. Lafrance, C. Robert and JP. Villeneuve (Ste-Foy, Que., Canada)	73
A multi-species model for rangeland plant communities	
J.D. Hanson (Fort Collins, CO, U.S.A.), J.W. Skiles (San Diego, CA, U.S.A.) and	
W.J. Parton (Fort Collins, CO, U.S.A.)	
An artificial intelligence modelling approach to simulating animal/habitat interactions	
H. Saarenmaa (Helsinki, Finland), N.D. Stone, L.J. Folse, J.M. Packard, W.E.	
Grant, M.E. Makela and R.N. Coulson (College Station, TX, U.S.A.)	125
A dynamic formulation for input-output modelling of exploited ecosystems	3.11
S.H. Levine (Medford, MA, U.S.A.)	143
Aggregation in stochastic ecosystem models	/
T.C. Gard (Athens, GA, U.S.A.)	153
Vol. 44 NOS. 3/4 JANUAR	Y 1989
Significance of changes in K_c values for Ca-Al exchange and its effects on soil and water acidification predictions	
G.R. Gobran and G.I. Agren (Uppsala, Sweden)	165
Theoretical analysis of rhythmical clustering in an intertidal gastropod	
S. Focardi (Ozzano dell'Emilia, Italy), J.L. Deneubourg (Bruxelles, Belgium) and G.	
Chelazzi (Firenze, Italy)	177
Bioenergetic model for the analysis of the ontogenetical aspects of coregonid fish growth	
K. Dabrowski (Olsztyn, Poland), F. Takashima and Y.K. Law (Tokyo, Japan)	195
A general analytical model of the process of humus mineralization and accumulation in soil	
W. Plichta and M. Gurtowski (Toruń, Poland)	209
Degradation and subsequent regeneration of a forestry resource: a mathematical model J.B. Shukla, H.I. Freedman (Edmonton, Alta., Canada), V.N. Pal, O.P. Misra, M.	
Agarwal and A. Shukla (Kanpur, India)	219

A simulation model of intraseasonal carbon and nitrogen dynamics of blue grama swards as influenced by above- and belowground grazing	
D. Bachelet (Las Cruces, NM, U.S.A.), H.W. Hunt and J.K. Detling (Fort Collins,	
CO, U.S.A.)	23
Animal population dynamics: Identification of critical components	
J.M. Emlen and E.K. Pikitch (Seattle, WA, U.S.A.)	253
RAGHUVA: a computer simulation of Raghuva albipunctella population dynamics, and Pennisetum americanum and P. typhoides phenology	
M. Bernardi (Niamey, Niger), J.W. Mishoe and J.W. Jones (Gainesville, FL, U.S.A.)	275
Mean squared error of prediction as a criterion for evaluating and comparing system models	
D. Wallach and B. Goffinet (Castanet Tolosan, France)	299
Global land-use changes from 1860 to 1980 and future projections to 2500	
G. Esser (Osnabrück, Federal Republic of Germany)	307
Author Index	317

